

# Retail Food Inspection Report

Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> CHILDREN'S ACADEMY OF NEW ALBANY	<b>Telephone Number</b> Est 812-542-5506 Own 812-542-4703	<b>Date of Inspection</b> 03/10/2021	<b>ID#</b>
<b>Address</b> 1111 PEARL ST, NEW ALBANY IN 47150	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 03/20/2021
<b>Owner</b> NAFCS FOOD & NUTRITION SERVICES		<b>Menu Type</b> 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
<b>Owner's Address</b> 2801 GRANTLINE RD NEW ALBANY, IN 47150-			
<b>Person in Charge</b> NANCY SPAINHOUR			
<b>Responsible Person's Email</b> NSPAINHOUR@NAFCS.ORG			
<b>Certified Food Handler</b> NANCY SPAINHOUR			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
285		X		Observed final rinse temp of dish machine not reaching 180F. Water temp measured at 178.	2/20/21

**Summary of Violations**      C   0      NC   1      R   0  

Received by (name and title printed):	Inspected by (name and title printed): Thomas Snider EHS
Received by (signature):	Inspected by (signature): <i>Thomas Snider</i>
cc:	cc: