

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> PROSSER	<b>Telephone Number</b> Est 812-542-8508 Own	<b>Date of Inspection</b> 10/22/2020	<b>ID#</b>
<b>Address</b> 4202 CHARLESTOWN RD., NEW ALBANY IN 47150	<b>Purpose</b> <input checked="" type="checkbox"/> <b>Routine</b> <input type="checkbox"/> <b>Follow-up</b> <input type="checkbox"/> <b>Complaint</b> <input type="checkbox"/> <b>Pre-Operational</b> <input type="checkbox"/> <b>Temporary</b> <input type="checkbox"/> <b>HACCP</b> <input type="checkbox"/> <b>Other (list)</b>	<b>Follow Up</b>	<b>Released</b> 11/01/2020
<b>Owner</b> NAFCS- FOOD & NUTRITION		<b>Menu Type</b> 1 __ 2 __ 3 __ 4 <u>X</u> 5 __	
<b>Owner's Address</b> 2801 GRANTLINE RD NEW ALBANY, IN 47150-			
<b>Person in Charge</b> JOSEPH PARO			
<b>Responsible Person's Email</b> PCASEY@NAFCS.K12.IN.US			
<b>Certified Food Handler</b>			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
310		X		Observed ceiling dust in exhaust grates over large Hobart mixers.	TODAY

**Summary of Violations**    C 0    NC 1    R 0

Received by (name and title printed): JOSEPH PARO	Inspected by (name and title printed): A.J. Ingram CHIEF FOOD SPECIALIST
Received by (signature):	Inspected by (signature): 
cc:	cc: