

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> COUVERT	<b>Telephone Number</b> Est 812-301-2191 Own 502-709-0539	<b>Date of Inspection</b> 08/26/2020	<b>ID#</b>	
<b>Address</b> 7121 HWY 150, FLOYDS KNOBS IN 47119				
<b>Owner</b> CHRIS KRONBACH	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b> 09/02/2020	<b>Released</b>	
<b>Owner's Address</b> 208 E. DAISY LANE NEW ALBANY, IN 47150		<b>Menu Type</b> 1 __ 2 __ 3 <u>X</u> 4 __ 5 __		
<b>Person in Charge</b> NICKI LATHUM				
<b>Responsible Person's Email</b> COUVERT-EAT@GMAIL.COM				
<b>Certified Food Handler</b> CHRIS KRONBACH				

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
177	X			Observed unopened wine bottles stored under case of raw meat in walk-in cooler.	TODAY
187	X			Measured items in "toppings" cooler to be 51 degrees. Items were transferred to ice bath for remainder of dinner service. Unit should be repaired before continued use.	CORRECTED
343	X			Observed kitchen handsink temperature to be unregulated. Water was too hot for sustained use.	1 WEEK
415	X			Observed flies throughout kitchen and outdoor dry storage. Fly tape may not be used to abate issue.	1 WEEK
438	X			Observed multiple chemical spray bottles lacking common name label.	TODAY
177		X		Observed ice bin being left open when not busy.	TODAY
291		X		Observed no chlorine test strips for testing dishwasher. Sanitizing ammonia tablets are used in sanitizer buckets, but dishwasher uses chlorine. Establishment needs both kinds of test strips.	1 WEEK
426		X		Observed shelving rack near kitchen door to be unorganized and a mix of food, utensils, tools, etc.	1 WEEK
431		X		Observed keg cooler to be holding murky water inside unit.	TODAY

**Summary of Violations**    C   5      NC   4      R   0  

Received by (name and title printed): NICKI LATHUM	Inspected by (name and title printed): A.J. Ingram CHIEF FOOD SPECIALIST
Received by (signature):	Inspected by (signature): 
cc:	cc: