



Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone: 812-948-4726

X10100

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.
The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name The Brick Wall	Telephone Number 812 599 1113	Date of Inspection (mm/dd/yr) 10/21/2019	PERMIT # 19-314	
Establishment Address (number and street, city, state, zip code) 1110 Copperfield Dr. Georgetown, IN 47122		Follow-up No	Release Date 10 days	
Owner Karen Hall	Purpose: 1. <u>Routine</u> 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)			Summary of Violations: C <u>2</u> NC <u>2</u> R <u>2</u>
Owner's Address		Menu Type (See back of page) 1 2 3 X 4 5		
Person in Charge Karen Hall				
Responsible Person's E-mail Karenhall12@aol.com				
Certified Food Manager Karen Hall (10/24/20)				

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
297	NC		Observed the following pieces of equipment needing cleaned: 1) Black build-up on interior seams of bulk ice machine 2) Coffee Filter bulb to have rusty build-up	Today
410	NC		Observed light out in warewash	1 week

Received by (name and title printed): Karen Hall owner	Inspected by (name and title printed): A.J. Ingram (EHS)
Received by (signature): Karen Hall	Inspected by (signature): aj
cc:	cc: