



Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone: 812-948-4726

X 678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name The New Albanian Brewery Co	Telephone Number 812-944-2577	Date of Inspection (mm/dd/yr) 2-17-20	PERMIT # 19-319
Establishment Address (number and street, city, state, zip code) 3312 Plaza Dr New Albany IN 47150	502-921-4475		
Owner Amy Baylor / Kate Lewisen	Purpose: 1. Routine	Follow-up NO	Release Date 10 days
Owner's Address	2. Follow-up	Summary of Violations: C 1 NC 3 R 1	
Person in Charge Billy Gray	3. Complaint	Menu Type (See back of page) 1 2 ✓ 3 4 5	
Responsible Person's E-mail	4. Pre-Operational		
Certified Food Manager Billy Gray 8-21-22	5. Temporary		
	6. HACCP		
	7. Other (list)		

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
438	C		Observer spray bottle w/o label.	corrected
297	NC		Observed buildup on inside of freezer (walk-in) door.	3 days
411	NC		Measured lighting near bulk ice machine at 17 ftc. - 2 light fixtures out & multiple bulbs out	1 week
431	NC		Observed dust buildup on wall in pulper area & on wire rack above prep table.	2 days
		R	Observed walls behind warewash machine to be moldy / in need of more frequent cleaning.	3 days

Received by (name and title printed): Billie Gray MGR	Inspected by (name and title printed): Thomas Snider, EHS
Received by (signature): 	Inspected by (signature):
cc:	cc: