



Retail Food Establishment Inspection Report

Floyd County Health Department
 Telephone: 812-948-4726

X6600

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <i>The New Albanian Brewing Co.</i>	Telephone Number <i>812 944 2577</i>	Date of Inspection (mm/dd/yr) <i>10/31/2019</i>	PERMIT # <i>19-319</i>
Establishment Address (number and street, city, state, zip code) <i>3312 Plaza Dr. New Albany, IN 47150</i>	<i>582 821 4475</i>		
Owner <i>Amy Baylor/ Kate Lewisa</i>	Purpose: <input checked="" type="radio"/> Routine 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list) _____	Follow-up <i>NO</i>	Release Date <i>10 days</i>
Owner's Address		Summary of Violations: <i>C 0 NC 3 R 3</i>	
Person in Charge <i>[Redacted] Billie Gray</i>		Menu Type (See back of page) <i>1 2 X 3 4 5</i>	
Responsible Person's E-mail			
Certified Food Manager <i>Billie Gray (8/21/22)</i>			

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
<i>297</i>	<i>NC</i>	<i>R</i>	<i>Observed key lines to be moldy</i>	<i>Today</i>
<i>310</i>	<i>NC</i>	<i>R</i>	<i>Observed ceilings in BOH and walk-in to be dusty</i>	<i>Today</i>
<i>430</i>	<i>NC</i>	<i>R</i>	<i>Observed (12+) stained ceiling tiles</i>	<i>2 weeks</i>

Received by (name and title printed):	Inspected by (name and title printed): <i>A.J. Ingram (EHS)</i>
Received by (signature): <i>Billie Gray</i>	Inspected by (signature): <i>aj</i>
cc:	cc: