

Retail Food Inspection Report


Floyd County Health Department
Telephone (812) 948-4726

Establishment Name THE STANDARD PLATE & POUR	Telephone Number Est 5024247915 Own 502-554-2777	Date of Inspection 11/25/2020	ID#
Address 207 E. MAIN ST, NEW ALBANY IN 47150	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 12/05/2020
Owner JOHN B. KERLEY		Menu Type 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
Owner's Address 1012 CATALPA DRIVE GEORGETOWN, IN 47123			
Person in Charge JOHN B. KERLEY			
Responsible Person's Email DCS1203@GMAIL.COM			
Certified Food Handler DAVID SMITH			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
218		X		Observed ice build-up on walk-in cooler unit	1 WEEK
218		X		Observed water puddling in low-boy cooler in kitchen.	1 WEEK
297		X		Observed food debris in empty kitchen coolers needing cleaned before refilling.	1 WEEK
297		X		Observed soda gun to be moldy.	TODAY

Summary of Violations C 0 NC 4 R 0

Received by (name and title printed): JOHN B. KERLEY	Inspected by (name and title printed): A.J. Ingram CHIEF FOOD SPECIALIST
Received by (signature):	Inspected by (signature): 
cc:	cc: