

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name THE STANDARD PLATE & POUR	Telephone Number Est 812-590-1055 Own 502-554-2777	Date of Inspection 08/09/2021	ID#
Address 207 E. MAIN ST, NEW ALBANY IN 47150	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 08/19/2021
Owner JOHN B. KERLEY		Menu Type 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
Owner's Address 1012 CATALPA DRIVE GEORGETOWN, IN 47123			
Person in Charge BEAU KERLEY			
Responsible Person's Email JBKERLEY@GMAIL.COM			
Certified Food Handler JOHN KERLEY			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
177		X		Observed plates on top shelf in kitchen to not be covered or inverted.	before reopening
324		X		Observed drain pipe from ice storage not reaching drainage pipe.	before reopening
433		X		Observed no method to hang mop to dry.	before reopening

Summary of Violations C 0 NC 3 R 0

Received by (name and title printed):	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): <i>Thomas Snider</i>
cc:	cc: