

# Retail Food Inspection Report

Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> NEW ALBANY LITTLE LEAGUE	<b>Telephone Number</b> Est 502-594-9101 Own 502-594-9101	<b>Date of Inspection</b> 04/19/2022	<b>ID#</b>
<b>Address</b> 4410 LEWIS A ENDRES PARKWAY, NEW ALBANY IN 4	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 04/29/2022
<b>Owner</b> NEW ALBANY LITTLE LEAGUE		<b>Menu Type</b> 1 __ 2 <u>X</u> 3 __ 4 __ 5 __	
<b>Owner's Address</b> 205 CRESENT LOOP NEW ALBANY, IN 47150			
<b>Person in Charge</b> BUD SEIDENFADEN			
<b>Responsible Person's Email</b> BUD.SEIDENFADEN@YAHOO.COM			
<b>Certified Food Handler</b> HAROLD SEIDENFADER			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
256		X		Observed no probe thermometer. Probe thermometer should be used to verify BBQ is heated to 165F and being hot held at 135F or above.	1 week
324		X		Observed 3 comp drain line to be dripping. Drip pan should be dumped after each event until repair can be made.	1 week
416		X		Observed at least 3 dead insects behing bulk ice machine.	Today

**Summary of Violations**      C   0      NC   3      R   0  

Received by (name and title printed):	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): <i>Thomas Snider</i>
cc:	cc: